

May 2, 2018

Jeff Grimm
Grimm's Fuel Company
18850 SW Cipole Rd.
Tualatin, OR 97062

Re: FIRE CODE CORRECTION NOTICE
Pile dimensions - Outdoor yard waste and recycling materials

Mr. Grimm,

This letter is a follow-up to our onsite meeting at your facility on April 25, 2018. Per our discussion, Tualatin Valley Fire & Rescue has determined that your facility is in violation of section 2808.3 of the 2014 edition of the Oregon Fire Code as it relates to the maximum pile size of outdoor storage of wood chips, hogged materials, compost and raw product associated with yard waste and recycling materials currently stored on your property.

Therefore, TVF&R is ordering the following correction to the pile sizes of wood chips, hogged materials, compost and raw product materials as follows:

- Reduce piles to a maximum of 40ft in height by Dec 31, 2018. (Phase 1)
- Reduce piles to a maximum of 25ft in height, 250ft in length and 150ft in width by April 30, 2019. (Phase 2/Final)

Piles shall be separated by a minimum of 20 feet to allow for fire apparatus access to piles in accordance with OFC 2808.4.

TVF&R will conduct follow-up inspections to verify compliance based on the above timelines.

If you have questions or need further clarification, please contact me at (503) 649-8577.

Sincerely,



Ty Darby
Deputy Fire Marshal

Cc: Steve Forster, Fire Marshal
Kate Stoller, Asst. Fire Marshal
File